

**Amendments to the Claims:**

Following is a listing of all claims in the present application, which listing supersedes all previously presented claims:

**Listing of Claims:**

1. (Currently Amended) A liquid crystal display (LCD), comprising:

an LCD panel having ~~an upper electrode layer and a lower electrode layer~~ and a plurality of color filters, ~~including a red color filter, a green color filter and a blue color filter~~, to selectively filter white light; and

a driver for driving ~~the upper and lower electrode layers of the LCD panel, wherein, during to interpose non-display periods between display periods for displaying, the driver drives the LCD panel to display~~ a desired color by mixing a combination of ~~red light output by the plurality of color filters, and green light and blue light~~, wherein, during non-display periods ~~between the display periods~~, the driver drives the LCD panel upper and lower electrode layers to display white light, ~~which includes all of the red, green and blue light.~~

2. (Currently Amended) The LCD according to claim 1, wherein during non-display periods, the driver further drives the ~~upper and lower electrode layers to display white light, which includes all of the red, green and blue light, and none of the red, green and blue LCD panel to display no~~ light at different, distinct time periods from when the LCD panel displays white light during non-display periods.

3. (Original) The LCD according to claim 1, wherein the plurality of color filters are transmissive color filters attached to an upper portion of the LCD panel.

4. (Original) The LCD according to claim 3, further comprising a reflecting plate.
5. (Original) The LCD according to claim 1, wherein the plurality of color filters are reflective color filters attached to a lower portion of the LCD panel.
6. (Currently Amended) The LCD according to claim 5, wherein the plurality of color filters ~~red color filter, the green color filter, and the blue color filter~~ of the reflective color filter are made of photonic crystals, which are alternate arrays of dielectrics.
7. (Currently Amended) The LCD according to claim 5, wherein the plurality of color filters ~~red color filter, the green color filter, and the blue color filter~~ of the reflective color filter are made of dielectrics having different indices of refraction.
8. (Currently Amended) A method for driving a liquid crystal display (LCD) including ~~a driver and an LCD panel having an upper electrode layer and a lower electrode layer and a plurality of color filters, including a red color filter, a green color filter and a blue color filter,~~ to selectively filter white light, the method comprising:  
  
driving ~~the upper electrode layer and the lower electrode layer of the LCD panel by the driver to interpose non-display periods between~~ during display periods ~~for displaying~~ to display a desired color by mixing a combination of [[red]] light output from the plurality of color filters; ~~and, green light and blue light, wherein~~

during non-display periods between the display periods, ~~the driver drives the upper and lower electrode layers driving the LCD panel~~ to display white light, ~~which includes all of the red, green and blue light.~~

9. (Currently Amended) The method according to claim 8, further comprising:  
during non-display periods displaying white light, which includes all of the red, green and blue light, and none of the red, green and blue light at different, distinct time periods from displaying white light during the non-display periods, driving the LCD panel to display no light.

10. (Original) The method according to claim 8, wherein the plurality of color filters are transmissive color filters attached to an upper portion of the LCD panel.

11. (Original) The method according to claim 8, wherein the plurality of color filters are reflective color filters attached to a lower portion of the LCD panel.